


Primary and Secondary Syphilis Cases, U.S., 1990-2007

(2007 data are preliminary)


Cases




Year Reported

Primary and Secondary Syphilis Cases, New Mexico, 1990-2007


Cases




Primary and Secondary Syphilis, New Mexico, 1990-2007




Primary & Secondary Syphilis Rates, U.S. and New Mexico




Primary & Secondary Syphilis Cases, by Residence, 2005-2007



New Mexico Health Regions Effective 7/1/05




Primary & Secondary Syphilis Rates, U.S. and New Mexico, 2005-2007




Primary & Secondary Syphilis Rates, U.S., and N.M. Selected Counties, 2005-2007

Includes counties with at least 10 cases, 2005-2007




Primary & Secondary Syphilis Rates, U.S. and New Mexico, 2005-2007


Includes Race/Ethnic Groups with at least 4 cases in 2005-2007




Primary, Secondary & Early Latent Syphilis, New Mexico, 1990-2007




Primary, Secondary & Early Latent Syphilis Cases, New Mexico, 1990-2007



Primary, Secondary & Early Latent Syphilis Cases, by Residence, 2005-2007




Primary, Secondary & Early Latent Syphilis Rates, U.S. and New Mexico, 2005-2007




Primary, Secondary & Early Latent Syphilis Rates, N.M., 2005-2007

Includes counties with at least 15 cases, 2005-2007



P&S and Early Latent Syphilis Rates, U.S. and New Mexico, 2005-2007

Includes Race/Ethnic Groups with at least 10 cases



Primary, Secondary, & Early Latent Syphilis, by Age Group, New Mexico, 2005-2007: N=392

Cases

