

Pharmacist Naloxone Dispensing Guide

The New Mexico Department of Health has issued a statewide standing order allowing for all registered pharmacists in New Mexico to dispense naloxone to individuals at risk of experiencing or witnessing an opioid overdose. Expanding access to naloxone is a key component of opioid overdose prevention. As trusted and accessible health care professionals, pharmacists are in a unique position to educate individuals on opioid overdose and dispense naloxone when indicated.

I. Eligible Candidates for Naloxone

Naloxone may be dispensed to:

- **Anyone who uses an opioid regardless of how the opioid is used or obtained.**
- **Anyone in a position to assist a person at risk of an opioid overdose.**

Factors to consider that increase risk for overdose:

- Using opioids for more than 3 months.
- Using opioids and benzodiazepines simultaneously.
- Being treated for opioid use disorder with buprenorphine or methadone.
- History of opioid overdose.
- Returning to opioid use after a period of abstinence.

Contraindications:

- Known hypersensitivity to naloxone. Anaphylactic shock may occur in those allergic to naloxone or any of its components.

II. Dispensing Information

The following naloxone products may be dispensed to individuals eligible to receive naloxone:

Product Selection and Labeling

Naloxone Product and Quantity: *Dispense one of the three following naloxone products based on product availability and individual's request.*

Naloxone HCl Solution 1 mg/mL; 2 mL pre-filled Luer-Lock Syringe

Dispense: 2 x 2 mL syringes (4 mL total) with two nasal mucosal atomization devices.

Directions for use: Spray 1 mL (one-half of prefilled syringe) in each nostril. Repeat after 3 minutes if no response.

Narcan[®] Nasal Spray (naloxone HCl) 4 mg/0.1 mL Nasal Spray

Dispense: 1 box containing two 4 mg/0.1 mL doses of naloxone

Directions for use: Administer a single spray of Narcan[®] in one nostril. Repeat after 3 minutes if no response.

Evzio[®] (naloxone HCl) 2 mg auto-injector

Dispense: 1 box containing two auto-injectors

Directions for use: Follow audio instructions from device. Place on thigh and inject 2 mg. Repeat after 3 minutes if no response.

Prescription Label Requirements: Prescriptions for naloxone should be labeled and processed in the same manner as all other prescriptions. Label must include: Name of recipient/person requesting naloxone, date dispensed, naloxone product and quantity, licensed prescriber name and information, directions for use (sig), and refills: PRN.

Licensed Prescriber Information:

Chris Novak, MD

Address: 1190 S St. Francis Dr., Ste. S-1057

Santa Fe, NM 87505

NPI: 1508834110 License#: MD2009-0030

III. Naloxone Products and Insurance Billing

Naloxone HCl Solution 1 mg/mL; 2 mL pre-filled LL Syringe – NDC 76329-3369-01

Narcan® (naloxone HCl) 4 mg/0.1 mL Nasal Spray – NDC 69547-0353-02

Evzio® (naloxone HCl) 2 mg auto-injector – NDC 60842-0051-01

Mucosal atomization devices can be purchased from pharmacy, DME, and online vendors (e.g. HealthCare Logistics, major wholesalers, Amazon.com, etc.).

New Mexico Medicaid (Centennial) plans-

Naloxone claims should adjudicate for reimbursement without prior authorization. Please see MCO billing information available on the NMPPhA website: <http://www.nmpharmacy.org/naloxone-resources>

Medicare Part D and other non-Medicaid plans-

Currently some of these plans do cover naloxone products and the member pays a copay for the prescription.

Help with naloxone prescription processing and dispensing is available. For more information or questions concerning naloxone billing and reimbursement, please contact:

Brianna Harrand, PharmD

Southwest CARE Center

(505) 216-1997

bharrand@southwestcare.org

IV. Opioid Overdose and Naloxone Education

The pharmacist should be familiar with opioid overdose prevention, using opioid medications safely, and naloxone administration instructions. Please use the following handout as a guide to educate and counsel individuals receiving naloxone. Review the information with the individual and provide a written copy of the handout with each naloxone product being dispensed.

[*User Guide - Information on Opioid Safety and How to Use Naloxone*](#)

Pharmacist training information: While current pharmacist naloxone training offered by NMPPhA is not required to dispense naloxone under the NMDOH standing order, pharmacists are highly encouraged to take advantage of the valuable training programs NMPPhA has to offer to further their education. NMPPhA will be providing Naloxone Continuing Pharmacy Education and will continue to offer the Pharmacist Certification for Prescribing Naloxone training. Please see their website for further details.

V. Additional Resources

New Mexico Department of Health website: <https://nmhealth.org/about/erd/ibeb/pos/>

New Mexico Pharmacists Association website: <http://nmpharmacy.org>

Prescribe to Prevent website: <http://prescribetoprevent.org>

Link to SB 262/HB 277 Administration of Opioid Antagonists:

<http://www.nmlegis.gov/Sessions/16%20Regular/final/SB0262.pdf>

If you have any questions, please contact:

Chris Trujillo, PharmD

Prescription Drug Overdose Prevention

New Mexico Department of Health

(505)476-1440

ChristopherJ.Trujil@state.nm.us